


Product Specification

Mini Green EL Wire – Model 01C G1

Specific characteristics*


Typical** Chromaticity Coordinates

Voltage/Frequency	Chromaticity Coordinates	
	X	Y
100 V / 400 Hz	0.128	0.566
100 V / 800 Hz	0.127	0.547
100 V / 2000 Hz	0.123	0.509



Typical Initial Reference Brightness*** (nit)**

Voltage, VRMS	200 Hz	400 Hz	800 Hz	2000 Hz	4000 Hz
40	0.8	1.5	2.4	3.7	4.3
60	3.7	6.1	10.0	15.5	20.0
80	8.0	14.0	22.5	36.7	46.0
100	13.7	24.2	39.0	64.0	82.5
120	20.0	35.5	58.7	98.0	125.3



* Remark: Product intended for indoor use.

** Remark: Actual parameters of each lot may vary from typical values within +/-20%. All parameters shown for room conditions.

*** Remark: The mentioned reference brightness values are related to the light emitting electroluminescent layer having diameter of 0.6 mm.



ELAM Ltd

P.O.B. 45071, Jerusalem 91450, Israel

Phone: 972-2-532-8888

Fax: 972-2-532-8889



ELAM Ltd

P.O.B. 45071, Jerusalem 91450, Israel

Phone: 972-2-532-8888

Fax: 972-2-532-8889